



# FQ Labs.

3170-A Ualena St.  
 Honolulu, HI 96819  
 808-839-9444 Fax 808-839-9744

**CHAIN OF CUSTODY AND ANALYSIS REQUEST**

DATE: \_\_\_\_\_ PAGE \_\_\_\_\_ OF \_\_\_\_\_

CUSTOMER NO. \_\_\_\_\_ LAB NO. \_\_\_\_\_

CLIENT NAME:	EMAIL:	<b>ANALYSES REQUESTED:</b>	<b>AIRBILL NO:</b> _____	
ADDRESS:			<b>COOLER TEMP:</b> _____	
PROJECT NAME:	PROJECT NO:		P.O. NO:	<b>PRESERVED:</b> _____
PROJECT MANAGER:	PHONE NO:		FAX NO:	<b>REMARKS:</b>
SAMPLER NAME: (Printed)	(Signature)			
TAT (Analytical Turn Around Time) 0 = Same day; 1 = 24 Hour; 2 = 48 Hour; (Etc.) N = NORMAL				
CONTAINER TYPES: B = Brass, G = Glass, P = Plastic, V = VOA Vial, O = Other:				

SAMPLE NO.	DATE SAMPLED	TIME SAMPLED	SAMPLE DESCRIPTION	MATRIX		CONTAINER			SAMPLE CONDITION/ COMMENTS:
				WATER	OTHER	#	TYPE	GRAB/COMP	
1									
2									
3									
4									
5									
6									
7									
8									
9									
10									

Relinquished By: (Signature and Printed Name)	Received By: (Signature and Printed Name)	Date:	Time:	<b>SAMPLE DISPOSITION:</b> 1. Samples returned to client? YES NO 2. Samples will not be stored over 30 days, unless additional storage time is requested. 3. Storage time requested: _____ days
Relinquished By: (Signature and Printed Name)	Received By: (Signature and Printed Name)	Date:	Time:	
Is this a compliance drinking water sample? Yes / No Sign and Print				
SPECIAL INSTRUCTIONS:				By _____ Date _____